Subject Index

1/*N* expansion 55, 358, 376

Amorphous materials 26
Anderson model 206, 376, 450, 575
Anderson model, antiferromagnetism 222
Anderson model, exact diagonalization 273, 316
Anderson model, impurity model 445
Anderson model, thermoelectric power 81, 213
Anderson model, transport 213
Anderson model, two-impurity model 575

Chaos theory 1
Charge carrier ordering 659
Chemical substitution effects 31, 39, 45, 52, 128, 230, 235, 252, 257, 265, 328, 384, 386, 389, 416, 423, 457, 463, 471, 475, 500, 506, 509, 514, 522, 525, 529, 534, 539, 545, 554, 561, 604, 637, 647
Coqblin–Schrieffer model 195
Crystalline electric fields 18, 143, 211, 396, 483, 542, 551, 554, 563, 609

De Haas–van Alphen related studies 63, 517, 570, 654, 665

Elastic effects, striction 18, 36, 125, 140, 170, 178, 416, 478, 483, 517, 554

Falikov–Kimball model 582
Fermi liquid theory 191, 217, 227, 300, 373, 382
Fulde–Ferrel superconductor 125

Hall effect 209, 213, 219, 246, 288, 351, 389, 440, 534, 548, 609
Heavy fermion experiments 116, 128, 604
Heavy fermion experiments, elastic effects 36, 95
Heavy fermion experiments, magnetism 23, 28, 31, 39, 45, 47, 49, 67, 85, 88, 95, 100, 137, 145, 165, 181, 423, 463, 471, 475, 503, 509, 548, 604, 654, 665
Heavy fermion experiments, μSR 91
Heavy fermion experiments, neutron scattering 165, 475
Heavy fermion experiments, NMR 107
Heavy fermion experiments, nonlinear susceptibility 426
Heavy fermion experiments, optical functions 34
Heavy fermion experiments, photoemission 15, 76
Heavy fermion experiments, specific heat, pressure 614
Heavy fermion experiments, superconductors 52, 57, 63, 70, 91, 103, 110, 116, 122, 125, 128, 132, 135, 140, 145, 154, 157, 159, 162, 170, 178, 204
Heavy fermion experiments, thin films 116
Heavy fermion experiments, transport properties 181, 209, 520, 527, 604
Heavy fermion experiments, two order parameters 110
Heavy fermion theory, CEF 211
Heavy fermion theory, elastic effects 18
Heavy fermion theory, electronic structure 202
Heavy fermion theory, hybridization effects 55
Heavy fermion theory, specific heat 227
Heavy fermion theory, superconductivity 183, 186, 215, 224
Heavy fermion theory, thermopower 81
Heavy fermion theory, two order parameters 204
Heisenberg antiferromagnet 642
High pressure effects 23, 67, 70, 148, 162, 181, 262, 440, 486, 500, 506, 520, 527, 548, 551, 558, 572, 578, 589, 614, 625, 634, 662
High pressure effects, uniaxial stress 132, 159
Hole–electron theory 338, 341, 366
HTSC experiments, compressibility 262
HTSC experiments, d-waves 284
HTSC experiments, exchange interactions 248, 252, 500
HTSC experiments, fluctuation enhancement 260
HTSC experiments, local structure 244
HTSC experiments, magnetic fluctuations 284
HTSC experiments, magnetoresistance 270
HTSC experiments, mixed state 288
HTSC experiments, NMR 42, 250, 278
HTSC experiments, pair distribution function 244
HTSC experiments, Pr-doping 257, 260
HTSC experiments, reentrant 500
HTSC experiments, specific heat 98
HTSC experiments, spin and charge dynamics 268, 281
HTSC experiments, thin films 246
HTSC theory, 2D Hubbard model 294
HTSC theory, Abrikosov–Suhl resonance 197, 445
HTSC theory, Anderson model 8, 376
HTSC theory, critical field 353

HTSC theory, d-waves 291, 298, 300, 353
HTSC theory, doping effects 265
HTSC theory, dynamic magnetic susceptiblity 344
HTSC theory, electron–hole criticality 338, 378
HTSC theory, infinite D Hubbard model 217
HTSC theory, infinite U Hubbard Model 358
HTSC theory, magnon exchange pairing 310
HTSC theory, odd frequency gap superconductors 363
HTSC theory, phase transition order 409
HTSC theory, Pr-doping 328
HTSC theory, spectroscopic properties 466
HTSC theory, spin gap 378
HTSC theory, t–J model 322, 330, 349, 351, 356
HTSC theory, three band Hubbard model 313, 341
HTSC theory, transport properties 298
Hubbard model 186, 202, 213, 217, 219, 275, 294, 313, 319, 325, 336, 341, 358, 361, 366, 373, 445, 492
Hybridization gap 443

Incommensurate magnetic order 47, 52, 137, 215
Itinerant electron theory 275, 333

Kondo experiments, general 28, 70, 176, 389, 473, 529, 532, 551, 567, 593, 616
Kondo ferromagnet 506, 558
Kondo insulator 316, 433, 450, 454, 457, 463, 466, 471, 475, 478, 480, 486, 489, 498, 534, 556, 572
Kondo lattice 26, 176, 191, 197, 457, 527, 542, 589
Kondo resonance 15, 76
Kondo semiconductor 473
Kondo theory, general 197, 273, 391, 450, 454, 575, 578

L3 absorption 512, 563
Lattice parameter studies 39, 88, 159, 265, 396, 483, 534, 612
Luttinger liquid 191

Magnetic circular dichromism 563
Magnetic excitations 39, 430, 475
Magnetic phase diagrams 28, 31, 39, 52, 67, 85, 100, 113, 143, 148, 336, 416, 423, 435, 463, 483, 514, 522, 561, 567, 570, 589, 606, 616, 625, 631, 634, 637, 640, 644, 647, 651, 665
Magnetic polarons 275, 539, 585, 606
Marginal Fermi liquid 634
Metal–insulator transition 252, 445, 486, 539, 545, 628, 656
Mössbauer spectroscopy 45, 248, 542, 647
Multichannel Kondo effect 176, 384, 386, 391, 396, 406, 419, 423
Muon spin rotation 52, 91, 103, 113, 143

Narrow gap materials 145, 469, 471, 478, 545
Neutron scattering studies 47, 95, 137, 143, 151, 165, 244, 281, 344, 396, 430, 466, 480, 522, 534, 558, 606, 642
NMR 42, 52, 70, 107, 135, 235, 250, 278, 330, 413, 593, 640
Non-Fermi liquids 197, 239, 386, 396, 406, 419, 423
NQR 135, 230, 235, 257

Optical effects, experiments 34, 173, 489, 539
Optical effects, theory 325

Photoemission 15, 76, 382
Point contact spectroscopy 110

Quadrupolar Kondo effect 391, 413, 426

Random phase approximation 319

Semimetal 525
Specific heat 28, 39, 49, 70, 85, 88, 98, 122, 154, 239, 252, 384, 423, 433, 435, 457, 473, 483, 532, 534, 561, 570, 589, 609, 614, 628, 631, 644
Spin fluctuations 330, 662
Spin glass 384, 419
Staggered magnetism 333
Strong coupled superconductivity 347, 373, 596
Structure effects 116, 235, 244
Superconductivity in fullerenes 596, 600

Thermal conductivity 437
Thermal expansion 23, 122, 125, 140, 145, 159, 178, 262, 386, 416, 433, 471, 506, 589
Thermomagnetic effects 651
Thermopower 81, 143, 351, 389, 437, 556, 561

Ultrasonic studies 36, 167, 170, 478, 517, 554

Valence transition, properties 145, 430, 469, 498, 509, 512, 534, 567, 572, 582, 612
Vibrating reed experiments 125

Wigner crystal 585

X-ray synchrotron spectroscopy 57, 244, 509, 512

Materials Index

A_3C_{60} 596, 600

$Bi_2Sr_2CaCu_2O_8$ 298, 409

$CeAl_2$ 70
$CeAl_3$ 70
Ce_3Al_{11} 70
CeAs 517
$CeAu_{2-x}Cu_xIn$ 561
$(Ce_{1-x}Au_x)_3Pt_3Sb_4$ 534
CeB_5 20
$Ce_3Bi_4Pt_3$ 450, 480, 489
$CeCu_5$ 34, 52
$CeCu_6$ 18, 20, 91, 135
$CeCu_5Au$ 85
$CeCu_{5.5}Au_{0.5}$ 47
$CeCu_{6-x}Au_x$ 39
$CeCu_4Ga$ 181
$CeCu_{0.86}Ge_2$ 503
$CeCu_2Si$ 270, 167, 391
$CeInCu_2$ 23
$CeIr_2$ 570
$Ce_3Ir_4Sn_{13}$ 49
$Ce_{0.5}La_{0.5}B_6$ 554
$(Ce_{1-x}La_x)_3Bi_4Pt_3$ 480
$Ce_{0.1}La_{0.9}Cu_{2.2}Si_2$ 239
$Ce_xLa_{1-x}P$ 525
Ce_7Ni_3 567
$CeNi_2Al_2$ 532
$CeNi_{1-x}Co_xSn$ 498
$Ce(Ni_{1-x}Ga_x)_5$ 509
$CeNi_{10x}(Pd,Pt)_xSn$ 463
$CeNi_{0.8}Pt_{0.2}$ 506
$CeNi_{1-x}Sn_{1+x}$ 433
CeNiSn 211, 433, 450, 457, 473, 475, 495
$CeNi_2Sn_2$ 433
CeP 548, 551, 606
$CePd_{1-x}Ag_x$ 435
CePdAl 28
$CePd_2Al_3$ 107, 143, 614
CePdGa 556
$CePd_{2-x}Mn_xSi_2$ 512
CePdSb 558
CePdSn 556
$CePt_3B$ 644
CePtGa 556
$CeRh_2$ 570
$CeRh_3B_2$ 563
$CeRh_2Ge_2$ 589
CeRhSb 457, 473, 572
$CeRu_2Ge_2$ 589
$CeRu_2Si_2$ 63, 91, 665
$CeSi_x$ 76, 202
CeTe 18
$Ce_{0.8}Y_{0.2}Ni_{0.8}Pt_{0.2}$ 506
$Co_6Te_8^{n+}$ 475
CuO 255
CuO_2-layers 217, 278, 281, 313, 341, 344, 378

$(DCNQI)_2Cu$ 656

$EuBa_2Cu_3O_7$ 246
EuTX 612

$Fe_{1-x}Co_xSi$ 471
FeSi 478

GdN 631
$GdPb_2$ 640
$Gd_{2-x}R_xCuO_4$ 248
$Gd_{3-x}V_xS_4$ 539

$La_{2-x}Ba_xCuO_4$ 244
$La_{1-x}Ce_xAl_2$ 270
La_2CuO_{4+y} 235
$La_{2-x}Sr_xCuO_4$ 230, 262, 284
$La_{2-x}Sr_xNiO_4$ 659
$La_{1-x}Sr_xTiO_3$ 628
$(La_{0.8}Th_{0.2})_{1-x}Ce_x$ 500
$Lu_{1-x}Yb_xB_{12}$ 529

MnSi 634

$Nd_{2-y}Ce_yCuO_4$ 98, 270
$Ni_{1-x}Ca_xSr_2Cu_2FeO_y$ 265
$NiI_{2-x}Br_x$ 637
$Ni_9Te_6^{n+}$ 475

R_3Co 651
RPd_2Al_3 604

$Sc_{1-x}U_xPd_3$ 419
SmB_6 430, 469, 486
$Sr_2CuO_2Cl_2$ 642

$TlBa_2(Ca_{1-x}R_x)Cu_2O_7$ 252
$Tl_2Ba_2CuO_y$ 250
TmSb 609
TmTe 545

UAs 625
UBe_{13} 70, 391, 426
$U_{1-x}Ca_xTiO_3$ 628
UCu_5 36
$UCu_{3+x}Ga_{2-x}$ 31
$UCu_{5-x}Pd_x$ 239
$U(Fe_{1-x}Co_x)Al$ 647
$U(Fe_{1-x}Ni_x)Al$ 647
$U(In_{1-x}Sn_x)_3$ 45
UNi_2Al_3 137, 145, 162
UNi_xPt_{1-x} 514
UNiSn 483
UPd_3 654
UPd_2Al_3 57, 100, 103, 107, 116, 122, 125, 128, 135, 140, 143, 151, 154, 162, 173
$U(Pd_{1-x}Pt_x)_3$ 416
UPt_3 55, 63, 70, 110, 132, 157, 159, 170, 178, 183, 186, 204, 215, 224
UPt_4M 88
URu_2Si_2 57, 70, 95, 148, 165, 167, 426
USb 616
UTe 582, 616
$U_{1-x}Th_xPd_2Al_3$ 176
$U_{1-x}Th_xRu_2Si_2$ 384
$U_xY_{1-x}Pd_3$ 389
U_2Zn_1 736

$YBa_2Cu_3O_{7-y}$ 262, 268, 281
YBCO–PrBCO superlattice 260
$(Y_{1-y}M_y)_{1-x}U_xPd_3$ 423
YMn_2 662
$Y_{1-x}Pr_xBa_2Cu_3O_{7-y}$ 257, 288, 328
$Y_{1-x}U_xPd_3$ 396, 413
$Y_{0.8}U_{0.2}Pd_3$ 239, 386
Yb-heavy fermions 15
$YbAgCu_4$ 15, 520, 527
$YbAl_3$ 15
Yb_4As_3 548
$YbAuCu_4$ 15
YbBiPt 67, 113
$YbCu_2Si_2$ 15
YbPdSb 542
YbSb 42, 483